

1. Identification

Product Identifier: **PVC Compound**

Manufacturer:

Hohmann & Barnard, Inc.
30 Rasons Court
Hauppauge, NY 11788
(631) 234-0600
www.h-b.com

Telephone Numbers

During normal business hours call: (800) 645-0616
24-hour emergency call Chemtrec: (800) 255-3924

2. Hazards Identification

EMERGENCY OVERVIEW:

Exposure: Pre-existing eye, skin, or respiratory disorders may be aggravated by exposure. Can cause severe irritation, redness, tearing, blurred vision. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute: headaches, dizziness, nausea, irritation.

Chronic: loss of appetite, nose bleeds.

Prevention: Avoid extreme heat and open flame.

Route of Exposure: Inhalation, skin, eyes, ingestion.

POTENTIAL HEALTH EFFECTS:

Inhalation: nasal or respiratory irritation, dizziness, nausea, headache, and possible unconsciousness.

Skin & Eyes: Can cause severe irritation, redness, tearing, blurred vision.

Ingestion: Gastrointestinal irritation, nausea, vomiting, and diarrhea.

Carcinogenicity: No data found.

GHS Ratings:

Oral Toxicity: Acute 4

Dermal Toxicity: Acute 4

Eye Irritation: 2

Inhalation Toxicity: Acute 4

GHS Hazards

H302 Harmful if swallowed

H312 Harmful in contact with skin

H319 Causes serious eye irritation

H332 Harmful if inhaled

GHS Precautions

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/protective clothing/eye protection/face protection

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P322 Specific measures (see Section 4)

P330 Rinse mouth

P363 Wash contaminated clothing before reuse

P301+P312

IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell

P302+P352

IF ON SKIN: wash with plenty of soap and water.

P304+P340

IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing

P337+P313

IF eye irritation persists: Get medical advice/attention

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 Dispose of contents/container to local and federal regulation

Signal Word: Warning




3. Composition/Information on Ingredients

Component	CAS#	OSHA PEL	ACGIS TLV
Asphalt	8052-42-4	5MG/M3	5 MG/M3
Mineral Spirits	8032-32-4	100 PPM	5 MG/M3
Slate Flour	1344-36-1	No Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 373 are present.	

Hazardous Material Information System (HMIS)

Health	2
Flammability	2
Physical Hazard	0
Personal Protection	X

National Fire Protection Association (NFPA)



HMIS & NFPA Hazard Rating Legend

- * = CHRONIC HEALTH HAZARD
- 0 = INSIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH

4. First-Aid Measures

INHALATION: Remove to fresh air, apply artificial respirator if necessary, call physician.

SKIN: Wash with soap and water.

INGESTION: No data found.

EYES: Flush with water for at least 15 minutes lifting lids, call physician.

NOTES TO PHYSICIANS/FIRST AID PROVIDERS: No data found.

5. Fire-fighting measures

FLASH POINT: 107°F (42°C)

EXTINGUISHING MEDIA: Foam, CO2, dry chemical, water fog.

HAZARDOUS COMBUSTION PRODUCTS: No data found.

FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus, water may be unsuitable except as a cooling medium.

FIRE FIGHTER PROTECTION: No data found.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep containers tightly closed, isolated from heat, sparks and open flame. Closed containers may explode when exposed to extreme heat.

6. Accidental release measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition, ventilate areas, remove with inert absorbent and non-sparking tools.

WASTE DISPOSAL METHODS: Incinerate under safe condition or dispose in accordance with the local, state, and federal regulations.

CLEAN WATER ACT REQUIREMENTS: No data found.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) REQUIREMENTS: No data found.

7. Handling and storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not breathe vapors, use adequate ventilation. Do not take internally. Do not get in eyes. Wear impervious clothing. Keep away from heat and flame.

OTHER PRECAUTIONS: Never use welding or cutting torch on or near container because product can ignite explosively.

REGISTRATIONS/CERTIFICATIONS: No data found.

8. Exposure controls/personal protection

ENGINEERING CONTROLS: No data found

ADMINISTRATIVE CONTROLS: No data found

PERSONAL PROTECTIVE EQUIPMENT

PROTECTIVE GLOVES: Safety work gloves

EYE PROTECTION: Safety glasses or goggles

RESPIRATORY PROTECTION (SPECIFIC TYPE): Respirator in confined area.

WORK/HYGIENIC PRACTICES: Wash hands before eating or using restroom. Smoke only in approved areas

OTHER: Eye bath and safety shower

VENTILATION

Local exhaust recommended.

9. Physical and chemical properties

Physical Form: thick liquid asphalt

Appearance: Black paste

Color: Black

Boiling Point: 315°F to 900°F (157°C to 482°C)

Melting Point: No data found

Freezing Point: No data found

Specific Gravity: 1.0

Density: No data found

Bulk Density: No data found

Viscosity: No data found

pH: No data found

Water Solubility: Negligible

Solvent Solubility: No data found

Partition Coefficient-Octanol / Water: No data found

Molecular Weight: No data found

Decomposition Temp.: No data found

Taste: No data found

Odor: mild solvent odor

Odor Threshold: No data found

Vapor Pressure: 68°F (20°C)

Vapor Density: Heavier than Air

Evaporation Rate: Slower than Ether

VOC (Weight): No data found

VOC (Volume): No data found

Volatiles (Weight): No data found

Volatiles (Volume): No data found

Flash Point: 107°F (42°C)

Flash Point Test: No data found

Upper Explosion Limit: 6.0%

Lower Explosion Limit: 1.0%

Auto Ignition: No data found

Flammability (Solid, Gas): No data found

10. Stability and reactivity

STABILITY: Stable.

HAZARDOUS DECOMPOSITION: May produce noxious fumes when heated to decomposition.

Fumes may contain carbon monoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Extreme heat, open flame.

INCOMPATIBLE MATERIALS: Isolate from oxidizers, heat and open flame.

11. Toxicological information

ROUTES OF ENTRY: Skin, eyes, inhalation.

TARGET ORGANS: No data found.

Exposure: Pre-existing eye, skin, or respiratory disorders may be aggravated by exposure. Can cause severe irritation, redness, tearing, blurred vision. Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute: headaches, dizziness, nausea, irritation.

Chronic: loss of appetite, nose bleeds.

CARCINOGENICITY: No data found.

12. Ecological Information

No data available for this product.

13. Disposal Considerations

Incinerate under safe condition or dispose in accordance with the local, state, and federal regulations.

14. Transport information

No data found.

15. Regulatory Information

No data found

16. Other information

Issue Date: May 31, 2015

Revision Date: May 31, 2015

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This information is taken from sources or based upon data believed to be reliable; however, Hohmann & Barnard, Inc. disclaims any warranty, express or implied, as to the absolute correctness or sufficiency of any of the foregoing or that additional or other measures may be required under particular conditions.

The information contained herein is based on current knowledge and experience; no responsibility is accepted and that the information is sufficient or correct in all cases. Users should consider this data only as a supplement to other information. Users should make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customer, and the protection of the environment.