# SAFETY DATA SHEET PROSOCO, Inc.

Issue Date 08-Jan-2015

Revision Date 21-Sep-2015

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Name

Defacer Eraser® Graffiti Wipe

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstNo information available

57056

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

Category 2

# 2. HAZARDS IDENTIFICATION

### **Classification**

Serious eye damage/eye irritation

### Label elements

	Emergency Overview	
Warning		
Hazard statements Causes serious eye irritation		
Appearance clear	Physical state Liquid	Odor sweet

# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing



If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC) Other Information No information available

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Benzyl Alcohol	100-51-6	10 - 30	*
Dibasic Ester	Proprietary	10 - 30	*
4 Methyl, 1-3 Dioxolan 2 one	108-32-7	10 - 30	*
3-Ethoxypropionic acid ethyl ester	763-69-9	10 - 30	*
Water	7732-18-5	7 - 13	*
Proplene Glycol monomethyl ether	107-98-2	5 - 10	*
Alcohols, C9-11, ethoxylated	Proprietary	3 - 7	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## First aid measures

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin Contact	Wash off immediately with plenty of water while removing contaminated clothing and shoes. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Causes serious eye irritation. May cause skin irritation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

#### Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	quipment and emergency procedures		
Personal precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.		
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.

## Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep out of the reach of children.

## Incompatible materials Acids. Strong oxidizing agents. Isocyanates. Acetaldehyde. Aluminum compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proplene Glycol monomethyl ether 107-98-2	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
NIOSH IDLH Immediately Dangerous to Life or Health			
	Vacated limits revoked by the (11th Cir., 1992).	Court of Appeals decision in AF	FL-CIO v. OSHA, 965 F.2d 962

Approp	oriate	engine	ering	controls

Engineering Controls	Showers

#### Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Property pHValues Not ApplicableRemarks • Method Not ApplicableMelting point/freezing point Boiling point/boiling rangeNo information available No information availableNot ApplicableFlash point> 94 °C / > 200 °FASTM D 3278Evaporation rateNo information availableASTM D 3278Flammability (solid, gas)No information availableFlammability Limits in AirUpper flammability limits Lower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information availableSpecific Gravity1.04Water solubility in other solventsNo information available	Physical state Appearance	Liquid clear	Odor	sweet
pHNot ApplicableNot ApplicableMelting point/freezing pointNo information availableNot ApplicableBoiling point/boiling rangeNo information availableNot ApplicableFlash point> 94 °C / > 200 °FASTM D 3278Evaporation rateNo information availableASTM D 3278Flammability (solid, gas)No information availableFlammability Limits in AirVinformation availableUpper flammability limitsNo information availableLower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information availableSpecific Gravity1.04Water solubility in other solventsNo information available	Color	colorless	Odor threshold	No information available
Autoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available	Property pH Melting point/freezing point Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower flammability limit Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	ValuesNot ApplicableNo information available> 94 °C / > 200 °FNo information availableNo information available	Remarks • Method Not Applicable Not Applicable	

# **10. STABILITY AND REACTIVITY**

#### <u>Reactivity</u> No data available

#### Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Heat. Incompatible materials Acids. Strong oxidizing agents. Isocyanates. Acetaldehyde. Aluminum compounds.

#### Hazardous Decomposition Products

Hazardous combustion products. Carbon oxides. Nitrogen oxides (NOx).

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Causes serious eye irritation May cause skin irritation
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes. Causes serious eye irritation.
Skin Contact	Avoid contact with skin. Causes skin irritation.
Ingestion	Do not taste or swallow. May be harmful if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Dibasic Ester	= 8191 mg/kg (Rat)	-	> 5.6 mg/L (Rat)4 h
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	= 29000 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-
3-Ethoxypropionic acid ethyl ester 763-69-9	= 3200 mg/kg (Rat)	= 10 mL/kg (Rabbit)	-
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Proplene Glycol monomethyl ether 107-98-2	= 5200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 54.6 mg/L (Rat)4 h > 24 mg/L( Rat)1 h
Alcohols, C9-11, ethoxylated	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-

#### Information on toxicological effects

Symptoms

Causes serious eye irritation. May cause skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	central nervous system, Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	2851 mg/kg
ATEmix (dermal)	6026 mg/kg mg/l
ATEmix (inhalation-dust/mist)	6 mg/l

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

# 57056 Defacer Eraser® Graffiti Wipe

Benzyl Alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	-	23: 48 h water flea mg/L EC50
Dibasic Ester	-	19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static	-	122.1 - 163.5: 48 h Daphnia magna mg/L EC50
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	500: 72 h Desmodesmus subspicatus mg/L EC50	5300: 96 h Leuciscus idus mg/L LC50 static 1000: 96 h Cyprinus carpio mg/L LC50 semi-static	-	500: 48 h Daphnia magna mg/L EC50
3-Ethoxypropionic acid ethyl ester 763-69-9	-	62: 96 h Pimephales promelas mg/L LC50 static	-	970: 48 h Daphnia magna mg/L EC50
Proplene Glycol monomethyl ether 107-98-2	-	20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static	-	23300: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

# No information available.

### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Benzyl Alcohol 100-51-6	1.1
4 Methyl, 1-3 Dioxolan 2 one 108-32-7	0.48
3-Ethoxypropionic acid ethyl ester 763-69-9	1.35
Proplene Glycol monomethyl ether 107-98-2	-0.437

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

DOT

Not regulated

# **15. REGULATORY INFORMATION**

**International Inventories TSCA** DSL/NDSL

Complies Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Methanol - 67-56-1	Developmental	
Ethyl acrylate - 140-88-5	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proplene Glycol monomethyl ether	Х	Х	Х
107-98-2			

# **16. OTHER INFORMATION**

NFPA HMIS	Health hazards 2 Health hazards 2	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal protection X
Prepared By Issue Date Revision Date Revision Note SDS sections updated 2 4 11 Disclaimer	Regulatory 08-Jan-20 21-Sep-20			

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is

believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**