# SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 28-Jan-2015 Revision Date 28-Jan-2015 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Sure Klean® 1261 Hard Water Deposit Remover

Other means of identification

Product Code 20015 UN/ID No UN2922

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

# 2. HAZARDS IDENTIFICATION

## Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Label elements

## **Emergency Overview**

# Danger

Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment

## Hazard statements

Toxic if swallowed
Toxic in contact with skin
Fatal if inhaled

Causes severe skin burns and eye damage



Appearance clear Physical state Liquid Odor Pungent

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Chloride	7647-01-0	10 - 30	*
Hydrogen Fluoride	7664-39-3	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

**General advice** Immediate medical attention is required.

**Eye contact** Keep eye wide open while rinsing. Immediate medical attention is required. Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub

affected area. Rinse the eyes with a calcium gluconate 1% solution.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves;continue to

massage while repeatedly applying gel until 15 minutes after pain is relieved.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or poison control

center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Burns from this product may not be immediately painful or evident. Exposures require

fluoride specific treatment. The product causes burns of eyes, skin and mucous

membranes.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Prevent further

leakage or spillage if safe to do so. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly. After cleaning,

flush away traces with water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Keep out of the reach of children.

**Incompatible materials**Strong bases. Incompatible with oxidizing agents. Metals.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Chloride	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	
Hydrogen Fluoride	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 30 ppm
7664-39-3	F	TWA: 2.5 mg/m <sup>3</sup> dust	Ceiling: 6 ppm 15 min
	S*	(vacated) TWA: 3 ppm F	Ceiling: 5 mg/m <sup>3</sup> 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls**Brush on or apply at the lowest practical pressure. Do not atomize during application.

Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Take off

> all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

> > Not Applicable

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid **Appearance** clear Odor Pungent

Color Slight amber No information available Odor threshold

Property Values Remarks • Method

pH Range 0-1 Ha

-30 °C / -22 °F Melting point/freezing point

Boiling point/boiling range No information available

Flash point **Evaporation rate** No information available

No information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limits No information available Lower flammability limit No information available Vapor pressure No information available Vapor density No information available

**Specific Gravity** 1.08

completely soluble Water solubility Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

## Conditions to avoid

Heat.

#### Incompatible materials

Strong bases. Incompatible with oxidizing agents. Metals.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information Toxic by ingestion Toxic in contact with skin Fatal if inhaled Causes severe skin burns and

eye damage

**Inhalation** Very toxic by inhalation. Causes burns. May be fatal if inhaled.

Eye contact Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin Contact** Avoid contact with skin. Toxic in contact with skin. Burns from this product may not be

immediately painful or evident. Exposures require fluoride specific treatment.

Ingestion Do not taste or swallow. Toxic if swallowed. Ingestion causes burns of the upper digestive

and respiratory tracts.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Hydrogen Chloride 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat) 1 h
Hydrogen Fluoride 7664-39-3	-	-	= 850 mg/m³ (Rat) 1 h = 1276 ppm (Rat) 1 h

#### Information on toxicological effects

Symptoms Harmful by inhalation and if swallowed. The product causes burns of eyes, skin and

mucous membranes. Burns from this product may not be immediately painful or evident.

Exposures require fluoride specific treatment.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target Organ Effects Eyes, Respiratory system, Skin.

**Aspiration hazard** No information available.

## Numerical measures of toxicity - Product Information

#### **Unknown Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 224 mg/kg
ATEmix (dermal) 233 mg/kg
ATEmix (inhalation-gas) 7281 mg/l
ATEmix (inhalation-dust/mist) 0.3 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Chloride 7647-01-0	-	282: 96 h Gambusia affinis mg/L LC50 static	-	-
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Hydrogen Fluoride 7664-39-3	-1.4

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

DOT Regulated UN/ID No UN2922

Proper shipping name Corrosive liquid, toxic, n.o.s. (Hydrofluoric and Hydrochloric Acid)

Hazard Class 8
Subsidiary class 6.1
Packing Group II

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-01-0	7647-01-0	10 - 30	1.0
Hydrogen Fluoride - 7664-39-3	7664-39-3	1 - 5	1.0

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb	-	-	Х
Hydrogen Fluoride 7664-39-3	100 lb	-	-	Х

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ
Hydrogen Fluoride	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

## **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen Chloride	X	X	X
7647-01-0			

## **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 28-Jan-2015

 Revision Date
 28-Jan-2015

**Revision Note** 

No information available

#### **Disclaimer**

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**