SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 25-Nov-2014 Revision Date 22-Sep-2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Light Duty Restoration Cleaner

Other means of identification

Product Code 20039 UN/ID No UN 1760

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
PROSOCO, Inc.
3741 Greenway Circle
Lawrence, Kansas 66046
Emergency telephone number

8:00 AM - 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC) 785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 1B

Label elements

Emergency Overview

Danger

Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment

Hazard statements

Harmful if swallowed
Toxic in contact with skin
Causes severe skin burns and eye damage
May damage fertility or the unborn child



Appearance clear Physical state Paste/Gel Liquid Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

1.57148% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water	7732-18-5	40 - 70	*
Glycolic Acid	79-14-1	10 - 30	*
sulfamic acid	5329-14-6	7 - 13	*
Xanthan gum	11138-66-2	1 - 5	*
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5	*
quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, ethoxylated, chlorides	61791-10-4	1 - 5	*
Hydrogen Fluoride	7664-39-3	0.1 - 1	*
Methoxyacetic acid	625-45-6	0.1 - 1	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required. If symptoms persist, call a physician.

Eye contact Immediate medical attention is required. Keep eye wide open while rinsing. Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Rinse the

eyes with a calcium gluconate 1% solution. Do not rub affected area.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves;continue to

massage while repeatedly applying gel until 15 minutes after pain is relieved.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down.

Call a physician or poison control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burns from this product may not be immediately painful or evident. Exposures require

fluoride specific treatment. The product causes burns of eyes, skin and mucous

membranes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated **Storage Conditions**

place. Keep in properly labeled containers.

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

С	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hy	ydrogen Fluoride	TWA: 0.5 ppm F TWA: 2.5 mg/m ³	TWA: 3 ppm F TWA: 2.5 mg/m ³ F	IDLH: 30 ppm
	7664-39-3	F	TWA: 2.5 mg/m ³ dust	Ceiling: 6 ppm 15 min
		S*	(vacated) TWA: 3 ppm F	Ceiling: 5 mg/m ³ 15 min
		Ceiling: 2 ppm F	(vacated) TWA: 2.5 mg/m ³	TWA: 3 ppm
			(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 Other Information

(11th Cir., 1992).

Appropriate engineering controls

Showers. Eyewash stations. Ventilation systems. Brush on or apply at the lowest practical **Engineering Controls**

pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry

surfaces.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular **General Hygiene Considerations**

cleaning of equipment, work area and clothing is recommended. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Paste/Gel Liquid

Appearance clear Odor No information available Color colorless Odor threshold No information available

Not Applicable

Property Values Remarks • Method

pН 1.5

-15 °C / 5 °F Melting point/freezing point

Boiling point/boiling range No information available

Flash point No information available **Evaporation rate**

Flammability (solid, gas) No information available

Flammability Limits in Air **Upper flammability limits** No information available Lower flammability limit No information available Vapor pressure No information available Vapor density No information available

Specific Gravity 1.122

completely soluble Water solubility Solubility in other solvents No information available No information available Partition coefficient **Autoignition temperature** No information available No information available **Decomposition temperature** No information available Kinematic viscosity **Dynamic viscosity** No information available **Explosive properties** Not an explosive **Oxidizing properties** Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Strong bases. Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Corrosive Harmful by inhalation, in contact with skin and if swallowed

Inhalation Avoid breathing vapors or mists. Harmful by inhalation.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Corrosive. Causes burns. Burns from this product may not be immediately painful or

evident. Exposures require fluoride specific treatment.

Ingestion Harmful if swallowed. Can burn mouth, throat, and stomach.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)	-	= 7.7 mg/L (Rat) 4 h
sulfamic acid 5329-14-6	= 1450 mg/kg (Rat)	-	-
Alcohols, C9-11, ethoxylated 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, ethoxylated, chlorides 61791-10-4	= 580 mg/kg(Rat)	-	-
Hydrogen Fluoride 7664-39-3	-	-	= 850 mg/m ³ (Rat) 1 h = 1276 ppm (Rat) 1 h

Information on toxicological effects

Symptoms The product causes burns of eyes, skin and mucous membranes. Burns from this product

may not be immediately painful or evident. Exposures require fluoride specific treatment.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicityNo information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Aspiration hazard Risk of serious damage to the lungs (by aspiration).

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.57148% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 598 mg/kg
ATEmix (dermal) 666 mg/kg mg/l
ATEmix (inhalation-dust/mist) 5.9 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Glycolic Acid 79-14-1	-	5000: 96 h Brachydanio rerio mg/L LC50 static	-	-
sulfamic acid 5329-14-6	-	14.2: 96 h Pimephales promelas mg/L LC50 static	-	-
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Glycolic Acid 79-14-1	-1.11
Hydrogen Fluoride 7664-39-3	-1.4

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated UN/ID No UN 1760

Proper shipping name Corrosive liquid, n.o.s. (Hydroxyacetic & Sulfamic Acid)

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes

Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Fluoride 7664-39-3	100 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Fluoride	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
sulfamic acid 5329-14-6	X	-	-
Formic acid 64-18-6	Х	X	Х

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 25-Nov-2014

 Revision Date
 22-Sep-2015

Revision Note SDS sections updated

23451115

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet