Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name SOUDASEAL 50LM

Chemical Family Silyl-terminated polymer.

Product Use sealant, adhesives

Manufacturer Information SOUDAL ACCUMETRIC 350 Ring Road,

Elizabethtown, KY 42701 Phone: 1-877-873-8739 Emergency Phone #: +1 800 424 9300 E-mail: info@soudalusa.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Serious Eye Damage/Eye Irritation - Category 2A Skin Sensitization - Category 1

GHS Label Elements

Symbol(s)



Signal Word Warning

Hazard Statement(s) Causes serious eye irritation May cause allergic skin reaction

Precautionary Statement(s)

Prevention

Wear eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Wash thoroughly after handling

Material Name: SOUDASEAL 50LM

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse Specific treatment (see label)

Storage

None needed according to classification criteria

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

CAS	Component Name	Percent		
471-34-1	Precipitated Calcium carbonate	42		
NA1	Silyl Terminated Polyether	30-35		
26761-40-0	Diisodecyl phthalate	14		
13463-67-7	Titanium dioxide(inbound in mixture)	1-5		
NA2	Micronised Wax	1-5		
1760-24-3	Aminoethyl aminopropyl trimethoxy silane	<1		
22673-19-4	Dibutyltin Diacetyldiacetonate	<1		
25496-72-4	Glyceryl monooleate	<1		
2768-02-7	Vinyltrimethoxysilane	1		

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

IF exposed or concerned: Get medical advice/attention.

Inhalation

Material Name: SOUDASEAL 50LM

SDS ID: SD-003

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

If a large amount is swallowed, get medical attention.

Indication of any immediate medical attention and special treatment needed Treat symptomatically and supportively.

Most Important Symptoms/Effects

Acute

Causes serious eye irritation.

Delayed

May cause allergic skin reaction.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical No information on significant adverse effects.

Hazardous Combustion Products

oxides of carbon, carbon monoxide, oxides of calcium, hydrogen chloride

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Stay upwind and keep out of low areas. Avoid inhalation of material or combustion by-products. Dike for later disposal.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Material Name: SOUDASEAL 50LM

SDS ID: SD-003

Keep unnecessary people away, isolate hazard area and deny entry. Wear personal protective clothing and equipment.

Methods and Materials for Containment and Cleaning Up

Collect spilled material using mechanical equipment. Stop leak if possible without personal risk. Only personnel trained for the hazards of this material should perform clean up and disposal.

Environmental Precautions

Very toxic to aquatic life. Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Incompatible Materials

oxidizing materials, bases, strong acids, combustible materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Precipitated Calcium carbonate	471-34-1			
NIOSH:	10 mg/m3TWAtotal dust; 5 mg/m3TWArespirable dust (related to Limestone)			
OSHA (US):	15 mg/m3TWAtotal dust; 5 mg/m3TWArespirable fraction (related to Limestone)			
Mexico:	10 mg/m3TWA LMPE-PPT (related to Limestone)			
	20 mg/m3STEL [LMPE-CT] (related to Limestone)			
Titanium dioxide(inbound in mixture)	13463-67-7			
ACGIH:	10 mg/m3 TWA			
NIOSH:	5000 mg/m3IDLH			

Component Exposure Limits

Material Name: SOUDASEAL 50LM

15 mg/m3TWAtotal dust				
10 mg/m3TWA LMPE-PPT as Ti				
20 mg/m3STEL [LMPE-CT] as Ti				
22673-19-4				
0.1 mg/m3 TWA as Sn (related to Tin organic compounds)				
0.2 mg/m3 STEL as Sn (related to Tin organic compounds)				
Skin - potential significant contribution to overall exposure by the cutaneous route (related to Tin organic compounds)				
0.1 mg/m3TWA (except Cyhexatin) as Sn (related to Tin organic compounds)				
Potential for dermal absorption (related to Tin organic compounds)				
25 mg/m3IDLH (except Cyhexatin) as Sn (related to Tin organic compounds)				
0.1 mg/m3TWA as Sn (related to Tin organic compounds)				
0.1 mg/m3TWA LMPE-PPT as Sn (related to Tin organic compounds)				
0.2 mg/m3STEL [LMPE-CT] as Sn (related to Tin organic compounds)				
Skin - potential for cutaneous absorption (related to Tin organic compounds)				

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Appearance	Not available	Physical State	Unknown		
Odor	typical	Color	various colors		
Odor Threshold	Not available	рН	Not available		
Melting Point	(Not available)	Boiling Point	(Not available)		
Freezing point	Not available	Evaporation Rate	Not available		
Boiling Point Range	Not available	Flammability (solid, gas)	Not available		
Autoignition	Not available	Flash Point	Not available		
Lower Explosive Limit	Not available	Decomposition	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available		
Water Solubility	(Insoulble)	Partition coefficient: n-octanol/water	Not available		
Viscosity	Not available	Solubility (Other)	Not available		
Bulk Density	Not available	Density	1.4		
Log KOW	Not available	Physical Form	paste		
Volatility	Not available	OSHA Flammability Class	Not available		

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Section 10 - STABILITY AND REACTIVITY

Reactivity

Unlikely to occur.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Reactions

Unlikely to occur.

Conditions to Avoid Avoid contact with incompatible materials. Avoid heat, flames, sparks and other sources of ignition.

Incompatible Materials

oxidizing materials, bases, strong acids, combustible materials

Hazardous decomposition products

oxides of carbon, carbon monoxide, oxides of calcium, hydrogen chloride

Material Name: SOUDASEAL 50LM

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

May cause allergic skin reaction.

Eye Contact

Causes serious eye irritation.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published: Precipitated Calcium carbonate (471-34-1) Oral LD50Rat 6450 mg/kg Diisodecyl phthalate (26761-40-0) Oral LD50Rat >2000 mg/kg (related to 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) Dermal LD50Rabbit 16000 mg/kg (related to 1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) Inhalation LC50Rat >12.54 mg/L 4 h Titanium dioxide(inbound in mixture) (13463-67-7) Oral LD50Rat >10000 mg/kg

Immediate Effects

Causes serious eye irritation.

Delayed Effects

May cause allergic skin reaction.

Irritation/Corrosivity Data

Causes serious eye irritation.

Respiratory Sensitization No data available.

Dermal Sensitization No data available.

Component Carcinogenicity

Diisodecyl phthalate	26761-40-0
DFG:	Category 3B (could be carcinogenic for man)
Titanium dioxide(inbound in	13463-67-7

Material Name: SOUDASEAL 50LM

mixture)	
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 93 [2010]; Monograph 47 [1989](Group 2B (possibly carcinogenic to humans))
DFG:	Category 3A (could be carcinogenic for man, inhalable fraction with the exception of ultra small particles)
OSHA:	Present
Dibutyltin Diacetyldiacetonate	22673-19-4
ACGIH:	A4 - Not Classifiable as a Human Carcinogen (related to Tin organic compounds)

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure eyes

Specific Target Organ Toxicity - Repeated Exposure No information on significant adverse effects.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

eye disorders, skin disorders

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Diisodecyl phthalate	26761-40-0
Fish:	LC50 96 h Lepomis macrochirus >0.18 mg/L [static]; LC50 96 h Pimephales promelas >0.23 mg/L [static] (related to 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters)
Algae:	EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID (related to 1,2- Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters)
Invertebrate:	EC50 48 h Daphnia magna >1 mg/L IUCLID (related to 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters)

Material Name: SOUDASEAL 50LM

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not Regulated

TDG Information:

UN#: Not Regulated

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes Chronic Health: Yes Fire: No Pressure: No Reactivity: No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Precipitated Calcium carbonate	471-34-1	No	Yes	Yes	Yes	Yes
Diisodecyl phthalate	26761-40-0	Yes	No	No	No	Yes
Titanium dioxide(inbound in mixture)	13463-67-7	No	Yes	Yes	Yes	Yes
Dibutyltin Diacetyldiacetonate	22673-19-4	Yes	No	Yes	No	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

Diisodecyl phthalate	26761-40-0
Repro/Dev. Tox	developmental toxicity, initial date 4/20/07 (related to 1,2- Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich)

Titanium dioxide(inbound in mixture)	13463-67-7
Carc:	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Dibutyltin Diacetyldiacetonate	22673-19-4		
	1 % (related to Tin compounds)		

WHMIS Classification D2B

Component Analysis - Inventory

Precipitated Calcium carbonate (471-34-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
No	DSL	No	No	No	No	No	No	No	No	No	No

Titanium dioxide(inbound in mixture) (13463-67-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	No	Yes	Yes	No	Yes	No	No	Yes	Yes

Aminoethyl aminopropyl trimethoxy silane (1760-24-3)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No

Dibutyltin Diacetyldiacetonate (22673-19-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No

Glyceryl monooleate (25496-72-4)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Material Name: SOUDASEAL 50LM

SDS ID: SD-003

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 3* Fire: 1 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 3 Fire: 1 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse.

Disclaimer:

Material Name: SOUDASEAL 50LM

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.