

# SAFETY DATA SHEET



Issue Date: March 19, 2015

Revision Date: March 19, 2015

Version: 2015.1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Colorcoat, Various Colors

**Other Means of Identification**

**SDS #:** F3100

**Recommended Use:** Smooth acrylic coating for concrete & masonry

**Restrictions on Use:** No Data

**Supplier of the Safety Data Sheet including Address:**

ChemMasters Inc.  
300 Edwards Street  
Madison, OH 44057

**Telephone Numbers**

**Company Phone Number**

Phone: 800-486-7866, 440-428-2105

Fax: 440-428-7091

**Emergency Telephone:** ChemTrec 800-424-9300 (United States & Canada), International Call: 1-703-527-3887

## 2. HAZARDS IDENTIFICATION

**Emergency Overview**

**OSHA Hazards:**

Causes eye irritation, May be harmful if swallowed, May cause an allergic skin reaction.

**GHS Classification:**

**Eye damage/eye irritation – Category 2B**

**Acute toxicity, Oral – Category 5**

**Sensitization – Skin: Category 1A**

**Label Elements, including precautionary statements**

**Pictograms:**



**Signal Word: WARNING**

**Hazard Statements:**

- H303 May be harmful if swallowed  
 H317 May cause an allergic skin reaction  
 H320 Causes eye irritation.

**Precautionary Statement(s)****Prevention:**

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 Wash hands and skin thoroughly after handling.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves.

**Response:**

- P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 **If eye irritation persists:** Get medical advice or attention.  
 P312 **If swallowed:** Call a POISON CENTER/doctor if you feel unwell.  
 P302+P352 **IF ON SKIN:** Wash with plenty of soap and water.  
 P333+P313 **If skin irritation or rash occurs:** Get medical advice or attention.  
 P362+P364 **Take off contaminated clothing and wash before reuse.**

**Storage: None****Disposal:**

- P501 **Dispose of contents/container in accordance with local/regional/national regulations.**

**Hazards not otherwise classified: None****3. COMPOSITION/INFORMATION ON INGREDIENTS****Component**

Water – Non Hazardous	CAS#: 7732-18-5	30-40%
Talc	CAS#: 14807-96-6	20-30%
Polymer – Non Hazardous	CAS#: Not Available	10-20%
Ethylene Glycol	CAS#: 107-21-1	1-3%
S Triazine 1,3,5 (2H,4H,,6H) Triethanol	CAS#: 4719-04-4	≤0.2%
Various Pigments Including:		15-25%
Titanium Dioxide	CAS#: 13463-67-7	
Barium Sulfate	CAS#: 7727-43-7	
Iron Oxide Blends:	CAS#: Various (Non-Hazardous)	
Carbon Black	CAS#: 1333-86-4	
C.I. Pigment Blue 15:2	CAS#: 147-14-8	
C.I. Pigment Red 170	CAS#: 2786-76-7	
C.I. Pigment Yellow 151	CAS#: 31837-42-0	
C.I. Pigment Green 7	CAS#: 1328-53-6	

Ingredients not listed on this safety data sheet are considered to be non-hazardous according to OSHA 1910.1200 or are not present above their cutoff levels.

## 4. FIRST AID MEASURES

### **First Aid Measures**

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If not breathing, give artificial respiration. Consult a physician.

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, rinse mouth with water. Call a POISON CENTER/doctor if you feel unwell.

**Skin Contact:** Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Product is not combustible. Use water spray (fog), alcohol-resistant foam, dry chemical, or carbon dioxide for surrounding fire.

**Specific Hazards Arising from the Chemical:** None Known

**Hazardous Combustion Products:** Carbon oxides

### **Protective Equipment and Precautions for Firefighters**

Wear self-contained breathing apparatus and full protective gear for firefighting.

**Further Information:** See Section 7 for safe handling and storage.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal Precautions, Protective Equipment and Emergency Procedures**

In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoid skin contact and inhalation.

### **Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **Methods and Material for Containment and Cleaning Up**

Dike and contain spill with inert absorbent materials. Soak up with inert material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

### **Conditions for Safe Storage, Including any Incompatibilities**

**General information:** Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**Safe Storage:** No Additional Data

**Incompatibilities:** None known

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

#### Component Exposure Limit

Ethylene Glycol: ACGIH TLV Ceiling/Aerosol 100 ppm

Titanium Dioxide: PEL 15 mg/m<sup>3</sup> OSHA 8 hr. TWA Total Dust; TLV 10 mg/m<sup>3</sup> ACGIH TWA

#### Appropriate Engineering Controls

Local Ventilation: Recommended

General Ventilation: Recommended

#### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection:** Use proper protection – Safety Glasses as a minimum

**Skin and Body Protection:** Wash at mealtime and end of shift. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc.). Use chemical protective gloves as a minimum and wash skin promptly upon any skin contact.

**Respiratory Protection:** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

Note: Trace amounts of monomers may be released during use of this material. Use adequate ventilation to keep vapour concentrations below applicable standard.

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before & after breaks and work day.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

#### Physical State

**Appearance:** Liquid

**Color:** Various Colors

**Odor:** Mild

**Odor threshold:** No Data

<u>Property</u>	<u>Value</u>	<u>Remarks – Method</u>
Vapor Pressure	Not Available	
Vapor Density	Not Available	
Relative Density	Not Available	
pH:	8-9	
Melting/Freezing Point	Freezing Point 32 Degrees F (0 Degrees C)	
Solubility	Miscible in water	
Evaporation Rate	Not Available	
Flash Point	Not Relevant	
Flammability Limits	Not Relevant	
Flammability (Solid, gas)	Not Relevant	
Auto Ignition Temperature	Not Available	
Initial Boiling Point/Boiling Range	Boiling Point 212 Degrees F (100 Degrees C)	
Decomposition Temperature	Not Available	
Viscosity	Not Available	
Specific Gravity	1.1-1.5	Density: 9.5-12.5 lb./gal.

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable

**Possibility of Hazardous Reactions:** No Data Available.

**Conditions to Avoid:** None known

**Incompatible Materials:** None known

**Hazardous Decomposition Products:** Carbon oxides

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Inhalation, Skin Contact, Eye Contact, Ingestion

**Symptoms of Exposure:**

Ingestion may cause nausea, vomiting and diarrhea.

Exposure may cause mild skin irritation. Exposure causes eye irritation.

**Numerical measures of toxicity:**

Ingredient: Titanium Dioxide

Acute Toxicity – Oral LD50 > 5,000 mg/Kg Rat; Acute Toxicity – Dermal LD50 > 10,000 mg/Kg Rabbit

Acute Toxicity – Inhalation LC50 > 6.8 mg/l Rat

Ingredient: Ethylene Glycol

Acute Toxicity – Oral LD50 4,700 mg/Kg Rat; Acute Toxicity – Dermal LD50 10,626 mg/Kg Rabbit

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**

**Carcinogenicity:** IARC has characterized Titanium Dioxide as possibly carcinogenic to humans (Group 2B) through inhalation (not ingestion). It has not been characterized as a potential carcinogen by either NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

**Eco toxicity:** No Data Available

**Persistence and Degradability:** No Data Available

**Bioaccumulation:** No Data Available

**Mobility:** No Data Available

**Other Adverse Effects:** No Data Available

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods**

**Disposal of Wastes:**

This product is not expected to be a hazardous waste under RCRA. Dispose of in conformance with all federal, state and local regulations.

**Contaminated Packaging:**

Dispose of as unused material.

## 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

**IMDG:** Not Regulated  
**Marine Pollutant:** No

**IATA:** Not Regulated

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA:** All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### US Federal Regulations

**SARA 302:** None Known

**SARA 311/312 Hazard Categories:** Acute Health Hazard

**SARA 313 Hazard Components:** CAS#: 107-21-1, Ethylene Glycol, 3% Maximum

**CWA (Clean Water Act):** None Known

### Supplemental State Compliance Information

California:

This product does not contain any chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

New Jersey Right To Know:

CAS Number	Component Name
107-21-1	Ethylene Glycol

Pennsylvania Right To Know:

CAS Number	Component Name
107-21-1	Ethylene Glycol

Massachusetts Right To Know:

CAS Number	Component Name
107-21-1	Ethylene Glycol

**U.S. EPA Label Information:** No Data

### Canada

WHMIS Classification: Class D2B (Toxic)

Symbol: Stylized T



## 16. OTHER INFORMATION

### HMIS Classification:

Health hazard: 1  
Flammability: 0  
Physical Hazards: 0

### NFPA Rating:

Health hazard: 1  
Fire: 0  
Reactivity Hazard: 0

Issuance Date: March 19, 2015

Revision Date: March 19, 2015

Revision Note: GHS

Date of Previous Version: March 9, 2015

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**