

SAFETY DATA SHEET

310 Wayto Road | Schenectady, NY 12303 ● TEL: 800-283-3888 | FAX: 518-357-9636 EMAIL: moreinfo@sandellmfg.com | www.diedrichtechnologies.com

NEUTRA SOAK "S"

1. PRODUCT DATA

Date of Preparation: March 1, 2015 Product Name: Neutra Soak "S" For Sovent Cleaners Producer: Diedrich Technologies, A Hohmann & Barnard Company, 310 Wayto Road, Schenectady, NY 12303 Company Contact: Mike Eglin Telephone: 800-283-3888 24 Hour Emergency Contact: CHEMTREC 800, 424, 920

24-Hour Emergency Contact: CHEMTREC 800-424-9300

This product is manufactured for Commercial/Industrial use. Not recommended for household use.

2 - HAZARDS IDENTIFICATION

GHS Ratings:

Oral Toxicity Acute 3 Skin Irritation 2 Eye Irritation 2 Inhalation Toxicity Acute 3 Specific Target Organ Toxicity 3

GHS Hazards

- H301 Toxic if swallowed
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H331 Toxic if inhaled
- H335 May cause respiratory irritation

GHS Precautions

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- **P264** Wash hands thoroughly after handling
- **P270** Do not eat, drink or smoke when using this product
- **P271** Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P311 Call a POISON CENTER or doctor/physician
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P321 Specific treatment (see section 4)
- P330 Rinse mouth
- P362 Take off contaminated clothing and wash before reuse

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302+P352

IF ON SKIN: wash with plenty of soap and water

P304+P340

IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing

P332+P313

IF SKIN irritation occurs: Get medical advice/ attention

P337+P313

IF eye irritation persists: Get medical advice/ attention

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 Store locked up

P403+P233

Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents/container according to local regulations

Danger



3. COMPOSITION

Chemical Name/	OSHA	ACGIH	Other
CAS No.	Exposure Limits	Exposure Limits	Exposure Limits
Hydrous Magnesium Silicate 14807-96-6	20 mppcf (Mineral Dusts Table)	2 mg/m3 TWA	NIOSH: 2 mg/m3 TWA

Specific chemical identity and percentage content of ingredients withheld as trade secret pursuant to Massachusetts regulations. Reporting requirements of section 313 title III of the superfund amendments and reauthorization act of 1986 and 10 CFR part 373 apply.

4. FIRST AID MEASURES

Inhalation: Remove victim to fresh air, if unconscious give artificial respiration. Consult a physician.



SAFETY DATA SHEET

310 Wayto Road | Schenectady, NY 12303 ● TEL: 800-283-3888 | FAX: 518-357-9636 EMAIL: moreinfo@sandellmfg.com | www.diedrichtechnologies.com

Eye Contact: Flush eyes with water for at least 15 minutes. Consult a physician.

Skin Contact: Flush affected area with water and remove contaminated clothing. If redness persists consult a physician.

Ingestion: If conscious, give victim water. Immediately consult a physician.

Notes to Physician: No data found.

5. FIRE FIGHTING MEASURES

Flammable Limits: Not applicable Flash Point: Not applicable Extinguishing Media: Water SPRAY, CO2, foam, dry chemical, etc. for surrounding fire.

Unusual Fire or Explosion Hazards: In extreme fire conditions could give off oxides of sulfur and carbon.

Hazardous Combustion Products: See Section 10 for a list of hazardous decomposition products for this mixture.

Fire Fighting: If evacuation of personnel is necessary, evacuate to an upwind area. Decontaminate personnel and equipment with a water wash-down after fire and smoke exposure.

Fire Fighting: Wear self-contained breathing apparatus and full personal protective equipment to prevent skin contact.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Transfer contained and spilled material to a chemically compatible container for reuse or disposal.

7. HANDLING AND STORAGE

Handling Precautions: No data found. Storage: No data found Regulatory Requirements: No data found

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Chemical Name/	OSHA	ACGIH	Other
CAS No.	Exposure Limits	Exposure Limits	Exposure Limits
Hydrous Magnesium Silicate 14807-96-6	20 mppcf (Mineral Dusts Table)	2 mg/m3 TWA	NIOSH: 2 mg/m3 TWA

Specific chemical identity and percentage content of ingredients withheld as trade secret pursuant to Massachusetts regulations. Reporting requirements of section 313 title III of the superfund amendments and reauthorization act of 1986 and 10 CFR part 373 apply.

Engineering controls: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to the workstation location.

Ventilation Control: General.

Administrative controls: No data found.

Personal Protection: Chemical resistant full body protection.

Eye Protection: Chemical goggles.

Skin Protection: Neoprene, nitril or PVC gloves. Apply Diedrich recommended skin barrier cream for additional protection.

Respiratory: Use NIOSH or MSHA approved dust mask if dust is present.

Contaminated Equipment: Dispose of the waste in compliance with federal, state, regional, and local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting point: Not Determined Freezing point: Not Determined Solubility: Insoluble Boiling range: Not applicable Flash point: Not applicable Evaporation rate: Not applicable Flammability: Not applicable **Appearance:** Black to gray fine solids Odor: None Physical State: Solid Vapor Pressure: Not applicable Odor threshold: Not Determined Vapor Density: Not applicable Explosive Limits: Not applicable Partition coefficient (n-Octanol/water): Not Determined Autoignition temperature: Not Determined Decomposition temperature: Not Determined Viscosity: Not Determined Density: Not Determined

10. STABILITY AND REACTIVITY

Stability: STABLE Conditions To Avoid: Extreme heat



SAFETY DATA SHEET

310 Wayto Road | Schenectady, NY 12303 ● TEL: 800-283-3888 | FAX: 518-357-9636 EMAIL: moreinfo@sandelImfg.com | www.diedrichtechnologies.com

Incompatibilities: Strong oxidizers. Hazardous Decomposition Products: None known. Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Mixture Toxicity: No data found Component Toxicity: No data found Routes of entry: No data found. Target Organs: Eyes, Skin, and Respiratory System Effects of Overexposure: ACUTE: Irritating to respiratory tract.

CHRONIC: Prolonged exposure to excessive quantities

Could lead to scarring of lungs or covering of lungs (pleural thickening)

CAS Number	Description	% Weight	Carcinogen Rating	
None			Not Listed	

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data found.

13. DISPOSAL

Disposal Instructions: Dispose of according to all local, state and federal regulations. Virgin material is not a hazardous waste and should be disposed of accordingly

14. TRANSPORTATION INFORMATION


The following is for US DOT Highway transportation. Other modes/jurisdictions may have different classifications.

Agency	Proper Shipping Name	UN Number	Packaging Group	Hazard Class
US DOT	NON-REGULATED			

15 - REGULATORY INFORMATION

No data found

16. OTHER INFORMATION



- 0 = INSIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH



310 Wayto Road | Schenectady, NY 12303 ● TEL: 800-283-3888 | FAX: 518-357-9636 EMAIL: moreinfo@sandelImfg.com | www.diedrichtechnologies.com

LEGEND

0 = LEAST 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME

N.D. = NOT DETERMINED N.A. = NOT AVAILABLE N/A = NOT APPLICABLE

DISCLAIMER: While this company believes that the data contained herein are factual and the opinions expressed are based on tests and data believed to be reliable, it is the user's responsibility to determine the safety, toxicity and suitability for his own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by this company as to the effects of such use, the results to be obtained, or the safety and toxicity of the product, nor does this company assume any liability arising out of use, by others, of the product referred to herein. Nor is this information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or governmental regulations.

REQUIRED SUPPLEMENTAL CONTRACT TERMS: Failure to obtain a property owner's written acceptance of the enclosed Required Supplemental Terms and Conditions for Restoration Contract shall release any and all of the manufacturer's express or implied warranties (including, without limitation, merchantability and fitness for particular purpose) and user shall indemnify and hold manufacturer harmless from all liability cost and expenses arising in any way from use of or contact with this product. All claims of any kind against manufacturer arising from or related to this product in any way shall be decided by binding arbitration in accordance with the Construction Industry Arbitration Rules of the American Arbitration Association. **Copyright © 2015**

Diedrich Technologies is a division of



Hohmann & Barnard, Inc. 30 Rasons Court | Hauppauge, NY 11788 TEL: 800-645-0616 | FAX: 631-234-0683 EMAIL: weanchor@h-b.com | www.h-b.com Page 4 of 4